



Old Station Close, Coalville, Leicestershire LE67 3FH

## DECLARATION OF PERFORMANCE

DoC N<sup>o</sup>: CGG/CW

**Product Type:** PVCu External Doorset

**Intended Use:** For use in domestic and commercial premises  
Not intended for use on escape route

**Declared System of Assessment Performance:** 3

**Provisions to which the Product Conforms:** Annex ZA of BS EN 14351-1:2006+A1:2010

**Reference to Supporting Product Certification and/or Test Reports** (*supportive of compliance*): Weather Tightness Report: Chilt/p09184/01  
Thermal Performance Report ; Eurocell Doorset Range

### Declared Performance:

#### Essential Characteristics

	Performance
Watertightness:	800u
Dangerous Substance:	No emissions of dangerous substances emitted
Load Bearing Capacity of Safety Device:	Npd
Thermal Transmittance:	$\leq 1.6W/m^2K$
Air Permeability:	Class 4

This declaration of performance is issued under the sole responsibility of the manufacturer Coalville Glass and Glazing

Signed for and on behalf of the Company by

**Name of Representative:** Andy Smith

**Job Title:** General Manager

**Representative Signature:** *ASmith*

**Date of Issue:** 10<sup>th</sup> June 2013

### Product CE Marking Detail:

